



Project ID : PCHRD – PB – 2021 – 10
 Project Name : Procurement of Supply and delivery of Various I.T. Equipment
 Project Location : DOST-PCHRD Office, PCHRD Saliksik Building, Sikap Street,
 DOST Main Compound, Gen. Santos Ave., Bicutan, Taguig City

SUPPLEMENTAL / BID BULLETIN NO. 1

December 09, 2021

Subject : Modification / Amendment of Some Provisions in the Bidding Documents

In connection with the project stated above advertised at the PhilGEPS and PCHRD Website on November 30, 2021; this Supplemental / Bid Bulletin No. 1 is issued to modify and amend some provisions in the Bidding Documents. Attached are the updated Schedule of Requirements and Technical Specifications.

I. Modification / Amendment of Some Provisions in the Bidding Documents

ORIGINAL PROVISION				AMENDMENT / CHANGE / CLARIFICATION			
<i>From:</i>				<i>To:</i>			
<i>Section I: Invitation to Bid</i>				<i>Section I: Invitation to Bid</i>			
<i>Paragraph no. 1</i>				<i>Paragraph no. 1</i>			
LOT	DESCRIPTION	QTY	TOTAL	LOT	DESCRIPTION	QTY	TOTAL
C	Digital Color Copier – A (with Network Printing, Color Scanning)	1	P 1,352,600.00 (Total ABC for Lot C)	C	Digital Color Copier – A (with Network Printing, Color Scanning)	1	P 1,352,600.00 (Total ABC for Lot C)
	Digital Color Copier – B (with Network Printing, Color Scanning)	1			<u>Digital Copier – B (with Network Printing, Color Scanning)</u>	1	

From:

Section III. Bid Data Sheet

19.3.

LOT	DESCRIPTION	QTY	TOTAL
C	Digital Color Copier – A (with Network Printing, Color Scanning)	1	P 1,352,600.00 (Total ABC for Lot C)
	Digital Color Copier – B (with Network Printing, Color Scanning)	1	

To:

Section III. Bid Data Sheet

19.3.

LOT	DESCRIPTION	QTY	TOTAL
C	Digital Color Copier – A (with Network Printing, Color Scanning)	1	P 1,352,600.00 (Total ABC for Lot C)
	<u>Digital Copier – B (with Network Printing, Color Scanning)</u>	1	

From:

Section VI: Schedule of Requirements

LOT	DESCRIPTION	QTY	UNIT	DELIVERED, WEEKS/ MONTHS
C	Digital Color Copier – A (with Network Printing, Color Scanning)	1	unit	Within sixty (60) calendar days from receipt of Purchase Order
	Digital Color Copier – B (with Network Printing, Color Scanning)	1	unit	

To:

Section VI: Schedule of Requirements

LOT	DESCRIPTION	QTY	UNIT	DELIVERED, WEEKS/ MONTHS
C	Digital Color Copier – A (with Network Printing, Color Scanning)	1	unit	Within sixty (60) calendar days from receipt of Purchase Order
	<u>Digital Copier – B (with Network Printing, Color Scanning)</u>	1	unit	

From:

Section VII: Technical Specifications

➤ One (1) unit Digital Color Copier – A (with Network Printing, Color Scanning)

- 2 years free service

To:

Section VII: Technical Specifications

➤ One (1) unit Digital Color Copier – A (with Network Printing, Color Scanning)

- **Service Warranty: Lifetime Free Service**

<p><i>From:</i></p> <p><i>Section VII: Technical Specifications</i></p> <p>➤ One (1) unit Digital Color Copier – B (with Network Printing, Color Scanning)</p> <ul style="list-style-type: none"> • 	<p><i>To:</i></p> <p><i>Section VII: Technical Specifications</i></p> <p>➤ <u>One (1) unit Digital Copier – B (with Network Printing, Color Scanning)</u></p> <ul style="list-style-type: none"> • <u>Extra Paper Feeder Holds 3000 Sheets</u>
---	---

This Supplemental / Bid Bulletin shall form an integral part of the said Bidding Documents.

For guidance and information of all concerned.


PAUL ERNEST N. DE LEON
 Chairperson, Bids and Awards Committee

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

LOT	Description	Quantity	Unit	Delivered, Weeks/Months
A	Rack Server	4	units	Within sixty (60) calendar days from receipt of Purchase Order
	Network Attached Storage (High-end)	1	unit	
B	Laptop (A)	28	units	Within sixty (60) calendar days from receipt of Purchase Order
	Laptop (B)	2	units	
	Server (Desktop Type Windows OS)	1	unit	
	Wireless Access Point	10	units	
	Printer (A)	12	units	
	Printer (B)	1	unit	
C	Digital Color Copier – A (with Network Printing, Color Scanning)	1	unit	Within sixty (60) calendar days from receipt of Purchase Order
	Digital Copier – B (with Network Printing, Color Scanning)	1	unit	

We hereby comply with the above-stated Schedule of Requirements.

Submitted by : _____
(Name of Firm)

Signing Authority : _____
(Printed Name and Signature)

Designation : _____

Date : _____

Technical Specifications

Lot	Specification	Statement of Compliance
A	<ul style="list-style-type: none"> ➤ Four (4) units Rack Server ➤ Base <ul style="list-style-type: none"> 1x ThinkSystem 1U 2.5" Chassis with 8 or 10 Bays 1x Operating mode selection for: "Maximum Efficiency Mode" ➤ Processors <ul style="list-style-type: none"> 1x ThinkSystem AMD EPYC 7252 8C 120W 3.1GHz Processor ➤ Memory <ul style="list-style-type: none"> 2x ThinkSystem 16GB TruDDR4 3200MHz (2Rx8 1.2V) RDIMM-A ➤ Storage <ul style="list-style-type: none"> 1x Select Storage devices - configured RAID 1x ThinkSystem RAID 930-16i 4GB Flash PCIe 12Gb Adapter 1x Install largest capacity, faster drives starting in Array 1 1x Controller 1 HW RAID Array 1 RAID 1 2x ThinkSystem 2.5" S4510 960GB Read Intensive SATA 6Gb HS SSD 1x ThinkSystem 1U 2.5" 10 SAS/SATA Backplane ➤ PCI <ul style="list-style-type: none"> 1x ThinkSystem Intel I350 1GbE RJ45 4-port OCP Ethernet Adapter 1x ThinkSystem NVIDIA Quadro P2200 5GB PCIe Active GPU 1x ThinkSystem 1U PCIe Gen4 x16/x16 Riser 1 1x ThinkSystem 1U LP+FH BF Riser Cage Riser1 ➤ Power <ul style="list-style-type: none"> 2x ThinkSystem 750W (230/115V) V2 Platinum Hot-Swap Power Supply 2x 2.8m, 10A/100-250V, C13 to IEC 320-C14 Rack Power Cable ➤ Others <ul style="list-style-type: none"> 1x ThinkSystem XClarity Controller Standard to Advanced Upgrade 6x ThinkSystem 1U Performance Fan Option Kit 1x ThinkSystem Toolless Slide Rail Kit v2 	

	<p>➤ Security 1x Feature Enable TPM 1.2 1x Disable IPMI-over-LAN</p> <p>➤ Green Specs Must have certifications on any of the following: 80 Plus; CEL (China); ECO Declarations; ENERGY STAR; EPEAT; Recycling; TCO</p>	
	<p>➤ One (1) unit Network Attached Storage (High-end)</p> <ul style="list-style-type: none"> • CPU Model: Intel Xeon Silver 4110 • CPU Quantity: 2 • CPU Architecture: 64-bit • CPU Frequency: 8-core 2.1 (base) / 3.0 (turbo) GHz • Hardware Encryption Engine (AES-NI): YES • System Memory: 32 GB DDR4 ECC RDIMM • Memory Module Pre-installed: 32 GB (16 GB x 2) • Total Memory Slots: 16 • Maximum Memory Capacity: 512 GB (32 GB x 16) • Drive Bays: 24 • Maximum Drive Bays with Expansion Unit: 48 (RX1217sas x 2) / 72 (FX2421* x 2) • Compatible Drive Type: 2.5" SAS HDD; 2.5" SAS SSD; 2.5" SATA SSD • Maximum Single Volume Size: <ul style="list-style-type: none"> - 1 PB (64 GB memory required, for RAID 6 groups only) - 200 TB • RJ-45 1GbE LAN Port: 2 (with Link Aggregation / Failover support) • RJ-45 10GbE LAN Port: 2 (with Link Aggregation / Failover support) • USB 3.2 Gen 1 Port: 2 • Expansion Port: 1 • PCIe Expansion: 2 x Gen3 x8 slots (x8 link) • Internal Drives: Btrfs/EXT4 • External Drives: Btrfs/EXT4/EXT3/FAT/NTFS/HFS+/exFAT • Form Factor (RU): 2U • Size (Height x Width x Depth): 88 mm x 482 mm x 724 mm • Weight: 17.26 kg • System Fan: 80 mm x 80 mm x 4 pcs • Fan Speed Mode: Full-speed Mode / Cool Mode / Quiet Mode • Noise Level: 53.7 dB(A) • Power Supply Unit / Adapter: 800 W • AC Input Power Voltage: 100 V to 240 V AC • Power Frequency: 50/60 Hz, Single Phase • Operating Temperature: 0°C to 35°C (32°F to 95°F) • Storage Temperature: -20°C to 60°C (-5°F to 140°F) • Relative Humidity: 5% to 95% RH 	

	<ul style="list-style-type: none"> • CERTIFICATION: FCC; CE; BSMI; EAC; KC; VCCI; RCM • Warranty: 5 Years • 24 pcs HARD DISK Included • Must have certifications on any of the following: 80 Plus; CEL (China); ECO Declarations; ENERGY STAR; EPEAT; Recycling; TCO 	
B	<p>➤ Twenty Eight (28) units Laptop (A)</p> <ul style="list-style-type: none"> • Operating System: Windows 10 Pro 64 • MS Office: Microsoft Office Home and Business 2019 (Pre-installed) • Base features: Ryzen™ 7 5800U, AMD Radeon™ Graphics, and WWAN - 276K9AV • ENERGY STAR: ENERGY STAR Qualified Configuration • Display: 13.3" diagonal LED UWVA Anti-Glare FHD (1920x1080), 400 nits, Ambient Light Sensor, for IR Webcam, Low Power, WWAN • Camera: Integrated HD 720p IR webcam with dual-microphone array • Memory: 16 GB DDR4-3200 PC4 SO-DIMM memory (2 DIMMs) • Internal Storage: 512 GB PCIe NVMe SSD • Keyboard: Premium spill-resistant keyboard, Clickpad with multi-touch gesture support • Wireless LAN: Realtek RTL8822CE 802.11ac (2x2) and Bluetooth® 5 • AC adapter: 45-watt Smart AC Adapter, right-angle connector, non-PFC • Power Cord: 1.0m Power Cord with C5 connector; Destination Country Localization Kit • Battery: 3-cell 53 WHr Long Life Battery (Internal and not replaceable by customer. Serviceable by warranty.) • Audio: Dual stereo speakers, dual array microphones • External I/O Ports: 2 SuperSpeed USB Type-A 5Gbps signaling rate (1 charging); 1 SuperSpeed USB Type-C® 10Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4); 1 headphone/microphone combo; 1 HDMI 2.0; 1 AC power • Weight: Starting at 2.2 lb • Warranty: One-year limited warranty (1/1/0) • Must have certifications on any of the following: 80 Plus; CEL (China); ECO Declarations; ENERGY STAR; EPEAT; Recycling; TCO 	
	<p>➤ Two (2) units Laptop (B):</p> <ul style="list-style-type: none"> • Processor: 10th Generation Intel® Core™ i7-10870H (8-Core, 16MB Cache, up to 5.0GHz Max Turbo Frequency) • Operating System: Windows 11 Pro, English • Graphics Card: NVIDIA® GeForce RTX™ 3060 6GB GDDR6 	

	<ul style="list-style-type: none"> • Display: 17.3" FHD (1920 x 1080) 360Hz 5ms 300-nits 100% sRGB color gamut with NVIDIA-GSYNC technology • Memory: 32GB DDR4 2933MHz • Hard Drive: 2TB PCIe M.2 SSD • Ports <ul style="list-style-type: none"> - 2 USB 3.2 Gen 1 Type-A ports - 1 USB 3.2 Gen 1 Type-A with Powershare Technology - 1 Thunderbolt™ 3 port - 1 Audio Out 1/8" Port - 1 HDMI 2.1b with HDCP 2.2 Output port - 1 Mini DisplayPort™ 1.4 - 1 Killer™ Networks E3100x Gigabit Ethernet NIC port - 1 Alienware Graphics Amplifier port - 1 Power/DC-In Port • Slots <ul style="list-style-type: none"> - 1 MicroSD-card slot - 1 Wedge-shaped lock slot • Starting weight: 2.50 Kg (5.51 Lbs) • Maximum weight: 2.97 Kg (6.55 Lbs) • Camera: 720p at 30 fps, HD RGB camera with digital-array microphones in camera assembly • Audio and Speakers: 4-way stereo speakers with dual tweeters and woofer, 4 W x 2 = 8 W total • Touchpad: Multi-touch gesture Premium Precision glass touchpad with integrated scrolling • Wireless: Killer™ Wi-Fi 6 AX1650 802.11ax 2x2 Wireless LAN and Bluetooth 5.1 • Must have certifications on any of the following: 80 Plus; CEL (China); ECO Declarations; ENERGY STAR; EPEAT; Recycling; TCO 	
	<p>➤ One (1) unit Server (Desktop Type Windows OS)</p> <ul style="list-style-type: none"> • Processor : Intel Xeon E3-1225 v5 Processor 3.3GHz., 4C/4T, 8M Cache, Turbo, HT (80W) • Memory : 8GB DDR4 UDIMM (8GB x 1), 2133MT/s, Dual Rank (4 DIMM slots) • Network Controller : Intel I219-LM Gigabit Ethernet LAN 10/100/1000 1 Port • Storage Controller : • Software RAID: Intel Rapid Storage Controller 12.0 (supports SATA 6Gb's or SATA 3Gb's) • Hard Drive : 1TB 7.2K Entry SATA 3.5" Cabled HDD • Optical Drive ; Internal DVD+/- RW Drive • Power Supply : Single Power Supply 290W, Bronze • Management : Intel AMT 11.0 (Only on Intel Xeon CPU) • Form Factor : Mini Tower • ServerWarranty : 3Yr Next Business Day Onsite • Accessory: Keyboard and Mouse • Must have certifications on any of the following: 80 Plus; CEL (China); ECO Declarations; ENERGY STAR; EPEAT; Recycling; TCO 	

	<p>➤ Ten (10) units Wireless Access Point</p> <ul style="list-style-type: none"> • Dimensions Ø196.7 x 35 mm • Environment Indoor/Outdoor • 2.4 GHz Speed 450 Mbps • 5 GHz Speed 1300 Mbps • PoE Mode 802.3af PoE/802.3at PoE+ • Ports (2) 10/100/1000 Ethernet • compatible with existing controller 	
	<p>➤ Twelve (12) units Printer (A)</p> <ul style="list-style-type: none"> • Printer Type: Print, Scan, Copy with ADF • Print Method: PrecisionCore Printhead • Printer Language: ESC/P-R, ESC/P Raster • Nozzle Configuration: 400 x 1 nozzles Black, 128 x 1 per Colour (Cyan, Magenta, Yellow) • Maximum Resolution: 4800 x 1200 dpi • Automatic 2-sided Printing: Yes (Up to A4) • Print Speed: <ul style="list-style-type: none"> - Photo Default - 10 x 15 cm / 4 x 6 " *1: Approx. 69 sec per photo*2 / 92 sec per photo*2 - Draft, A4 (Black / Colour): Up to 33.0 ppm / 20.0 ppm*2 - ISO 24734, A4 Simplex (Black / Colour): Simplex: Up to 15.5 ipm / 8.5 ipm*2 - ISO 24734, A4 Duplex (Black / Colour): Duplex: Up to 6.5 ipm / 4.5 ipm*2 - First Page Out Time from Ready Mode (Black / Colour): Approx. 9 sec / 15 sec*2 • Copy Function: <ul style="list-style-type: none"> ▪ Maximum Copy Size: Legal ▪ Copy Resolution: 600 x 600 dpi ▪ Max Copies: 99 copies ▪ Copying: <ul style="list-style-type: none"> - ISO 29183, A4 Simplex Flatbed (Black / Colour):Up to 11.0 ipm / 5.5 ipm - ISO 24735, A4 Simplex ADF (Black / Colour): Up to 60 sec / 82 sec • Scanner Type: Flatbed colour image scanner • Sensor Type: CIS • Optical Resolution: 1200 x 2400 dpi • Maximum Scan Area: 216 x 297 mm (8.5 x 11.7 ") • Scanner Bit Depth (Colour): 48-bit input, 24-bit output • Scanner Bit Depth (Grayscale): 16-bit input, 8-bit output • Scanner Bit Depth (Black & White): 16-bit input, 1-bit output • Scan Speed: Flatbed (Black / Colour): 200dpi: 12 sec / 27 sec • ADF Monochrome (Simplex): 200dpi: 5.0 ipm • ADF Colour (Simplex): 200dpi: 5.0 ipm • ADF Specifications: Support Paper Thickness: <ul style="list-style-type: none"> • 64-95 g/m2 • Paper Capacity: 30 sheets 	

	<ul style="list-style-type: none"> • Paper Handling: <ul style="list-style-type: none"> ▪ Number of Paper Trays: 1 ▪ Standard Paper Input Capacity: Up to 250 sheets of Plain Paper (80 g/m2), Up to 20 sheets of Premium Glossy Photo Paper ▪ Output Capacity: Up to 30 sheets of Plain Paper (80 g/m2), Up to 20 sheets of Premium Glossy Photo Paper ▪ Maximum Paper Size: 215.9 x 1200 mm (8.5 x 47.24 ") ▪ Paper Size: Legal (8.5 x 14"), 8.5 x 13", Letter, A4, B5, A5, A6, Hagaki (100 x 148 mm), 16K (195 x 270 mm), Indian-Legal (215 x 345 mm), B6, 5 x 7", 4 x 6", Envelopes #10, DL, C6 ▪ Print Margin: 0mm top, left, right, bottom via custom settings in printer driver*3 • Interface: <ul style="list-style-type: none"> - USB: USB 2.0 - Network: Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct - Network Protocol: TCP/IPv4, TCP/IPv6 - Network Management Protocols: SNMP, HTTP, DHCP, BOOTP, AIPPA, PING, DDNS, mDNS, SLP, WSD, LLTD • Control Panel: <ul style="list-style-type: none"> ▪ LCD Screen: 2.4 " Colour LCD Screen • Must have certifications on any of the following: 80 Plus; CEL (China); ECO Declarations; ENERGY STAR; EPEAT; Recycling; TCO 	
	<p>➤ One (1) unit Printer (B)</p> <ul style="list-style-type: none"> • Functions: <ul style="list-style-type: none"> - Print, Copy, Scan - Multitasking supported: Yes • Printing specifications: <ul style="list-style-type: none"> ▪ Print speed black: <ul style="list-style-type: none"> - Normal: Up to 31 ppm (Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.) ▪ First page out (ready) <ul style="list-style-type: none"> - Black: As fast as 9 sec (Exact speed varies depending on the system configuration, software application, driver and document complexity.) ▪ Duty cycle (monthly, A4): Up to 65,000 pages ▪ Recommended monthly page volume: 4000 to 8000 ▪ Print technology: Laser ▪ Print quality black (best): Up to 1200 x 1200 dpi ▪ Print Resolution Technologies: HP FastRes 1200, HP ProRes 1200 ▪ Print languages: HP PCL 6, HP PCL 5, HP postscript level 3 emulation, direct PDF printing (v 1.3) with at least 128 MB memory enabled, XHTML-Print v 0.95, 	

	<p>HP PDL (Printer Job Language), PML (Printer Management Language)</p> <ul style="list-style-type: none"> • Display: 3-in Touchscreen, LCD (color graphics) • Processor speed: 750 MHz • Automatic paper sensor: No • Connectivity: <ul style="list-style-type: none"> ▪ HP ePrint capability: Yes ▪ Mobile printing capability: <ul style="list-style-type: none"> - HP ePrint - Apple AirPrint™ - Mopria™-certified - Wireless Direct Printing - Mobile Apps ▪ Wireless capability: Yes, built-in WiFi 802.11b/g/n ▪ Connectivity, standard: <ul style="list-style-type: none"> - 1 Hi-Speed USB 2.0 Device - 1 Hi-Speed USB 2.0 Host - 1 Fast Ethernet 10/100Base-TX - 1 Wireless 802.11b/g/n ▪ Network ready: Standard (built-in Ethernet, WiFi 802.11b/g/n) • Minimum system requirements: <ul style="list-style-type: none"> ▪ Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit): 1 GHz 32-bit (x86) or 64-bit (x64) processor, 1 GB RAM (32-bit) or 2 GB RAM (64-bit), 400 MB free hard disk space, CD/DVD-ROM or Internet, USB or Network port ▪ Windows XP (32-bit) SP2: Pentium® 233 MHz processor, 512 MB RAM 400 MB free hard disk space, CD/DVD-ROM or Internet, USB or Network port ▪ Mac OSX v 10.6 ▪ PowerPC G4, G5, or Intel® Core™ Processor ▪ 500 MB hard disk ▪ CD-ROM/DVD-ROM or Internet ▪ USB or Network port • Compatible operating systems <ul style="list-style-type: none"> ▪ Full software installs supported on: Windows 8 32-bit and 64-bit, Windows 7 32-bit and 64-bit, Windows Vista 32-bit and 64-bit, Windows XP 32-bit (SP2 or higher) ▪ Driver only installs supported on: Windows Server 2008 32-bit and 64-bit, Windows Server 2003 32-bit (SP3 or higher) ▪ Mac OS X 10.6, OS X Lion, OS X Mountain Lion ▪ For Linux/Unix support, please refer to: hplipopensource.com/hplip-web/index.html ▪ (Windows 7/2008 R2 SP1, Windows XP (64-bit) SP2 or higher, Windows Server 2012, Windows Server 2008 (Standard Edition), Windows Server 2008 Enterprise Edition), Windows Server 2003 (Standard Edition), Windows Server 2003 (Enterprise Edition), Windows Server 2003 (64-bit), SP1 (x86 and x86-64) only support Print driver and Scan driver.) • Memory specifications: 	
--	---	--

	<ul style="list-style-type: none"> ▪ Memory: 256 MB ▪ Maximum memory: 256 MB ▪ Internal Storage: None • Paper handling: <ul style="list-style-type: none"> ▪ Paper handling input, standard: 100-sheet multipurpose tray, 250-sheet input tray ▪ Paper handling input, optional: Optional 500-sheet input tray; optional Automatic duplexer for two-sided printing ▪ Paper handling output, standard: 250-sheet output bin ▪ Maximum output capacity (sheets): Up to 250 sheets ▪ Duplex printing: Manual (driver support provided) ▪ Media sizes supported: A4; A3; B4 (JIS); B5 (JIS); A5; 16K ▪ Media sizes, custom <ul style="list-style-type: none"> - Tray 1: 76.2 x 127 to 312 x 470 mm - Tray 2: 148 x 210 to 297 x 431.8 mm - Tray 3: 148 x 210 to 297 x 431.8 mm ▪ Media types: Paper (colored, letterhead, light, plain, preprinted, prepunched, recycled, rough, heavy), bond, cardstock, envelope, labels, transparency, vellum ▪ Media weight, supported: Tray 1: 60 to 199 g/m²; Tray 2, 3: 60 to 120 g/m² • Scanner specifications: <ul style="list-style-type: none"> ▪ Scanner type: Flatbed ▪ Scan file format: PDF, JPEG, PNG ▪ Scan resolution, optical: Up to 1200 x 1200 dpi (mono/color, flatbed) ▪ Scan size, maximum: 297 x 420 mm ▪ Duplex ADF scanning: No ▪ Scan input modes <ul style="list-style-type: none"> - Front-panel scan, copy buttons - HP Scan software - and user application via TWAIN • Copier specifications: <ul style="list-style-type: none"> ▪ Copy speed (normal): Black: Up to 31 cpm ▪ Copy resolution (black text): Up to 300 x 300 dpi ▪ Copy reduce / enlarge settings: 25 to 400% ▪ Copies, maximum: Up to 99 copies • Power and operating requirements: <ul style="list-style-type: none"> ▪ Power: 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz) ▪ Power consumption: 700 watts (Printing), 12.5 watts (Ready), 3.9 watts (Sleep), 0.2 watts (Off) ▪ Energy efficiency: ENERGY STAR® qualified, CECP ▪ Operating temperature range: 10 to 32.5°C ▪ Recommended operating humidity range: 30 to 70% RH ▪ Acoustic pressure emissions bystander (active, printing): 52 dB(A) • Must have certifications on any of the following: 80 Plus; CEL (China); ECO Declarations; ENERGY STAR; EPEAT; Recycling; TCO 	
--	--	--

C	<p>➤ One (1) unit Digital Color Copier – A (with Network Printing, Color Scanning)</p> <ul style="list-style-type: none"> • Digital Color Copier with Network Printing, Color Scanning & Optional Network Fax • HyPAS solution platform Technology enables powerful customizations • Copy and Print speed of 60 copies per minute, A4, on monochrome and 55 copies per minute, A4, on color • Scan speed of 220 images per minute on monochrome and color at 300dpi, A4, with optional single scan dual pass document processor • Zoom range of 25 to 400% • Copy and Scan Resolution of 600 x 600 dpi • Print Resolution of 1,200 x 1,200 dpi, 2bit depth of 4,800 dpi equivalent x 1,200 dpi • Warm-up time 17 seconds or less • Copy size is from A6R up to A3 • Print Size is from A6R up to SRA3 plus banner size • Standard Memory Capacity is 4GB RAM, 8GB SSD plus standard 320GB Hard disk drive • Maximum Duty Cycle of 200,000 pages per month • Input paper capacity of two-500-sheets universal paper cassette and 150-sheets multi-purpose tray • Upgradeable input capacity with a maximum of 7,150 sheets by adding optional 3,000 sheets large capacity Paper Feeder and optional 3,000 sheets side Deck • Maximum Output capacity of 4,300 sheets by adding optional Document Finisher • Maintenance Kit is up to 600,000 copies • Toner capacity for Cyan, Magenta and Yellow is up to 20,000 copies and for Black is up to 30,000 copies, at 5% density A4 size • Built-in Duplex Unit • Standard Document Processor Hold 140 Sheets • Standard Scan Once Print Many and Electronic Sort Function • Management Codes up to a maximum of 1000 codes • Printer Processor Freescale QorIQ T1024 (dual core)/1.2GHz • Compatible with Windows, Macintosh, Linux, Unix • Built in Gigabit-Network, USB 3.0, four USB 2.0 Host Connection and NFC Tag • PCL6, KPDL3(Post Script 3 compatible), PDF Direct Print, XPS Direct Print and Open XPS emulations • Auto Emulation Sensing • USB Memory Printing and Scanning • Scan to SMB/E-mail/FTP/USB Host/Box, Network TWAIN Scan and WSD Scan • Scanning Mode: Color, Grayscale and B&W • File Format of PDF (High compression, encrypted, PDF/A), TIFF, JPG, XPS, Open XPS and Searchable PDF (option) 	
---	---	--

	<ul style="list-style-type: none"> • Extra Paper Feeder Holds 3000 sheets • Warranty: 2 years warranty on spare parts or 600,000 copies/print/scan whichever comes first • Service Warranty: Lifetime Free Service • Power consumption copying/printing 990W on color and monochrome • Ready mode 60W • Power-saving (sleep mode) 0.7W or less • Must have certifications on any of the following: 80 Plus; CEL (China); ECO Declarations; ENERGY STAR; EPEAT; Recycling; TCO 	
	<p>➤ One (1) unit Digital Copier – B (with Network Printing, Color Scanning)</p> <ul style="list-style-type: none"> • Digital Copier with Network Printing, Color Scanning & Optional Network Fax • HyPAS solution platform Technology enables powerful customizations • Copy and Print speed of 60 copies per minute, A4, on monochrome • Scan speed of 220 images per minute on monochrome and color at 300dpi, A4, with optional single scan dual pass document processor • Zoom range of 25 to 400% • Copy and Scan Resolution of 600 x 600 dpi • Print Resolution of 1,200 x 1,200 dpi, 2bit depth of 4,800 dpi equivalent x 1,200 dpi • Warm-up time 17 seconds or less • Copy size is from A6R up to A3 • Print Size is from A6R up to SRA3 plus banner size • Standard Memory Capacity is 4GB RAM, 8GB SSD plus standard 320GB Hard disk drive • Maximum Duty Cycle of 200,000 pages per month • Input paper capacity of two-500-sheets universal paper cassette and 150-sheets multi- purpose tray • Upgradeable input capacity with a maximum of 7,150 sheets by adding optional 3,000 sheets large capacity Paper Feeder and optional 3,000 sheets side Deck • Maximum Output capacity of 4,300 sheets by adding optional Document Finisher • Maintenance Kit is up to 600,000 copies /600,000 copies Fuser Kit • Toner capacity is up to 35,000 copies, at 6% density A4 size • Built-in Duplex Unit • Standard Document Processor that holds 140 sheets • Standard Scan Once Print Many and Electronic Sort Function • Management Codes up to a maximum of 1000 codes • Printer Processor Freescale QorIQ T1024 (dual core)/1.2GHz • Compatible with Windows, Macintosh, Linux, Unix 	

	<ul style="list-style-type: none"> • Built in Gigabit-Network, USB 3.0, four USB 2.0 Host Connection and NFC Tag • PCL6, KPDL3(Post Script 3 compatible), PDF Direct Print, XPS Direct Print and Open XPS emulations • Auto Emulation Sensing • USB Memory Printing and Scanning • Scan to SMB/E-mail/FTP/USB Host/Box, Network TWAIN Scan and WSD Scan • Scanning Mode: Color, Grayscale and B&W • File Format of PDF (High compression, encrypted, PDF/A), TIFF, JPG, XPS, Open XPS and Searchable PDF (option) • Fax modem speed of 33.6 kbps (optional) • Optional Internet fax • Duplex transmission & reception • Power consumption copying/printing 870W • Ready mode 50W • Power-saving (sleep mode) 0.7W or less • Warranty: TWO YEARS ON PARTS OR 600,000 COPIES/PRINT/SCAN WHICHEVER COMES FIRST. LIFETIME FREE SERVICE WARRANTY • Must have certifications on any of the following: 80 Plus; CEL (China); ECO Declarations; ENERGY STAR; EPEAT; Recycling; TCO • Extra Paper Feeder Holds 3000 Sheets 	
--	---	--

We hereby comply with the above-stated Technical Specifications.

Submitted by : _____
(Name of Firm)

Signing Authority : _____
(Printed Name and Signature)

Designation : _____

Date : _____